

## Incidents by Neighborhood - 1998

<b>Avondale</b>	
81	STRUCTURE FIRE
6	OUTSIDE OF STRUCTURE FIRE
40	VEHICLE FIRE
36	REFUSE FIRE
5	STEAM RUPTURE
2,268	EMERGENCY MEDICAL CALL
18	LOCK IN
6	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
5	RESCUE CALL - NOT CLASSIFIED
12	SPILL, LEAK WITH NO IGNITION
2	EXPLOSIVE, BOMB REMOVAL
1	EXCESSIVE HEAT
5	POWER LINE DOWN
27	ARCING, SHORTED ELECTRICAL EQUIPMENT
2	CHEMICAL EMERGENCY
2	NATURAL GAS LEAK/ODOR
13	HAZARDOUS CONDITION - NOT CLASSIFIED
9	WATER CUTOFF / EVACUATION
3	SMOKE, ODOR REMOVAL
4	ASSIST POLICE
2	UNAUTHORIZED BURNING
13	SERVICE CALL - NOT CLASSIFIED
3	GOOD INTENT CALL - INSUFFICIENT INFO.
67	SMOKE SCARE
2	WRONG LOCATION
1	CONTROLLED BURNING
2	STEAM, OTHER GAS MISTAKEN FOR SMOKE
78	GOOD INTENT CALL - NOT CLASSIFIED
19	MALICIOUS, MISCHIEVOUS FALSE CALL
247	SYSTEM MALFUNCTION
27	UNINTENTIONAL, ACCIDENTAL TRIP

## Incidents by Neighborhood - 1998

1	FALSE CALL - NOT CLASSIFIED
3	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
1	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
3	CO DETECTOR ACTIVATED - CO FOUND
6	CO DETECTOR MALFUNCTION
<b>3,020</b>	
<b>Bond Hill</b>	
53	STRUCTURE FIRE
4	OUTSIDE OF STRUCTURE FIRE
15	VEHICLE FIRE
2	TREES, BRUSH, GRASS FIRE
8	REFUSE FIRE
2	STEAM RUPTURE
1,156	EMERGENCY MEDICAL CALL
15	LOCK IN
2	RESCUE CALL - NOT CLASSIFIED
6	SPILL, LEAK WITH NO IGNITION
1	EXCESSIVE HEAT
3	POWER LINE DOWN
25	ARCING, SHORTED ELECTRICAL EQUIPMENT
3	CHEMICAL EMERGENCY
13	HAZARDOUS CONDITION - NOT CLASSIFIED
1	SERVICE CALL - INSUFFICIENT INFO.
1	LOCK-OUT
2	WATER CUTOFF / EVACUATION
2	SMOKE, ODOR REMOVAL
5	ASSIST POLICE
2	UNAUTHORIZED BURNING
7	SERVICE CALL - NOT CLASSIFIED
11	GOOD INTENT CALL - INSUFFICIENT INFO.
45	SMOKE SCARE
2	STEAM, OTHER GAS MISTAKEN FOR SMOKE
20	GOOD INTENT CALL - NOT CLASSIFIED
1	FALSE CALL - INSUFFICIENT INFO.
11	MALICIOUS, MISCHIEVOUS FALSE CALL

## Incidents by Neighborhood - 1998

98	SYSTEM MALFUNCTION
9	UNINTENTIONAL, ACCIDENTAL TRIP
1	NO CO DETECTOR PRESENT - VICTIM(S) TO HOSPITAL
1	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
3	CO DETECTOR ACTIVATED - CO FOUND
8	CO DETECTOR MALFUNCTION
<b>1,538</b>	
<b>California</b>	
1	STRUCTURE FIRE
2	VEHICLE FIRE
1	TREES, BRUSH, GRASS FIRE
93	EMERGENCY MEDICAL CALL
1	LOCK IN
2	SEARCH
2	RESCUE CALL - NOT CLASSIFIED
1	SPILL, LEAK WITH NO IGNITION
1	EXPLOSIVE, BOMB REMOVAL
1	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	UNAUTHORIZED BURNING
7	SERVICE CALL - NOT CLASSIFIED
2	GOOD INTENT CALL - INSUFFICIENT INFO.
3	SMOKE SCARE
1	STEAM, OTHER GAS MISTAKEN FOR SMOKE
4	GOOD INTENT CALL - NOT CLASSIFIED
11	SYSTEM MALFUNCTION
1	UNINTENTIONAL, ACCIDENTAL TRIP
1	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
1	CO DETECTOR MALFUNCTION
<b>137</b>	
<b>Camp Washington</b>	
16	STRUCTURE FIRE
1	OUTSIDE OF STRUCTURE FIRE
17	VEHICLE FIRE
11	REFUSE FIRE

## Incidents by Neighborhood - 1998

1	STEAM RUPTURE
1	AIR, GAS RUPTURE
518	EMERGENCY MEDICAL CALL
7	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
20	SPILL, LEAK WITH NO IGNITION
3	ARCING, SHORTED ELECTRICAL EQUIPMENT
4	CHEMICAL EMERGENCY
8	HAZARDOUS CONDITION - NOT CLASSIFIED
1	LOCK-OUT
4	ASSIST POLICE
2	UNAUTHORIZED BURNING
6	SERVICE CALL - NOT CLASSIFIED
4	GOOD INTENT CALL - INSUFFICIENT INFO.
21	SMOKE SCARE
1	WRONG LOCATION
2	STEAM, OTHER GAS MISTAKEN FOR SMOKE
20	GOOD INTENT CALL - NOT CLASSIFIED
3	MALICIOUS, MISCHIEVOUS FALSE CALL
65	SYSTEM MALFUNCTION
7	UNINTENTIONAL, ACCIDENTAL TRIP
1	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
1	NO CO DETECTOR PRESENT - CO ABOVE ACTION LEVEL
1	CO DETECTOR MALFUNCTION
<b>746</b>	
<b>Carthage</b>	
9	STRUCTURE FIRE
1	OUTSIDE OF STRUCTURE FIRE
7	VEHICLE FIRE
2	TREES, BRUSH, GRASS FIRE
5	REFUSE FIRE
1	OVERPRESSURE RUPTURE - NOT CLASSIFIED
405	EMERGENCY MEDICAL CALL
3	LOCK IN
3	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
3	RESCUE CALL - NOT CLASSIFIED

## Incidents by Neighborhood - 1998

4	SPILL, LEAK WITH NO IGNITION
5	ARCING, SHORTED ELECTRICAL EQUIPMENT
8	HAZARDOUS CONDITION - NOT CLASSIFIED
3	LOCK-OUT
1	WATER CUTOFF / EVACUATION
1	SMOKE, ODOR REMOVAL
3	UNAUTHORIZED BURNING
3	SERVICE CALL - NOT CLASSIFIED
2	GOOD INTENT CALL - INSUFFICIENT INFO.
12	SMOKE SCARE
1	WRONG LOCATION
1	VICINITY ALARM (INCL MULTIPLE BOXES FOR 1 FIRE)
13	GOOD INTENT CALL - NOT CLASSIFIED
1	FALSE CALL - INSUFFICIENT INFO.
2	MALICIOUS, MISCHIEVOUS FALSE CALL
37	SYSTEM MALFUNCTION
6	UNINTENTIONAL, ACCIDENTAL TRIP
1	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
3	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
3	CO DETECTOR MALFUNCTION
<b>549</b>	
<b>CBD / Riverfront</b>	
56	STRUCTURE FIRE
8	OUTSIDE OF STRUCTURE FIRE
16	VEHICLE FIRE
7	TREES, BRUSH, GRASS FIRE
41	REFUSE FIRE
1	STEAM RUPTURE
1	AIR, GAS RUPTURE
2,405	EMERGENCY MEDICAL CALL
6	LOCK IN
1	SEARCH
36	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
11	RESCUE CALL - NOT CLASSIFIED
1	HAZARDOUS CONDITION - INSUFFICIENT INFO.

## Incidents by Neighborhood - 1998

27	SPILL, LEAK WITH NO IGNITION
24	EXPLOSIVE, BOMB REMOVAL
3	EXCESSIVE HEAT
20	ARCING, SHORTED ELECTRICAL EQUIPMENT
3	CHEMICAL EMERGENCY
2	NATURAL GAS LEAK/ODOR
15	HAZARDOUS CONDITION - NOT CLASSIFIED
2	SERVICE CALL - INSUFFICIENT INFO.
5	WATER CUTOFF / EVACUATION
2	SMOKE, ODOR REMOVAL
7	ASSIST POLICE
2	UNAUTHORIZED BURNING
24	SERVICE CALL - NOT CLASSIFIED
5	GOOD INTENT CALL - INSUFFICIENT INFO.
67	SMOKE SCARE
4	WRONG LOCATION
3	STEAM, OTHER GAS MISTAKEN FOR SMOKE
53	GOOD INTENT CALL - NOT CLASSIFIED
28	MALICIOUS, MISCHIEVOUS FALSE CALL
2	BOMB SCARE, NO BOMB
421	SYSTEM MALFUNCTION
102	UNINTENTIONAL, ACCIDENTAL TRIP
2	FALSE CALL - NOT CLASSIFIED
1	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
1	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
1	CO DETECTOR MALFUNCTION
<b>3,416</b>	
<b>Clifton</b>	
20	STRUCTURE FIRE
1	OUTSIDE OF STRUCTURE FIRE
9	VEHICLE FIRE
4	REFUSE FIRE
1	STEAM RUPTURE
766	EMERGENCY MEDICAL CALL
10	LOCK IN

## Incidents by Neighborhood - 1998

7	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
1	RESCUE CALL - NOT CLASSIFIED
14	SPILL, LEAK WITH NO IGNITION
1	EXPLOSIVE, BOMB REMOVAL
1	EXCESSIVE HEAT
1	POWER LINE DOWN
11	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	CHEMICAL EMERGENCY
13	HAZARDOUS CONDITION - NOT CLASSIFIED
1	LOCK-OUT
2	WATER CUTOFF / EVACUATION
1	SMOKE, ODOR REMOVAL
1	ASSIST POLICE
3	SERVICE CALL - NOT CLASSIFIED
2	GOOD INTENT CALL - INSUFFICIENT INFO.
37	SMOKE SCARE
1	WRONG LOCATION
1	CONTROLLED BURNING
1	VICINITY ALARM (INCL MULTIPLE BOXES FOR 1 FIRE)
1	STEAM, OTHER GAS MISTAKEN FOR SMOKE
38	GOOD INTENT CALL - NOT CLASSIFIED
7	MALICIOUS, MISCHIEVOUS FALSE CALL
59	SYSTEM MALFUNCTION
15	UNINTENTIONAL, ACCIDENTAL TRIP
2	FALSE CALL - NOT CLASSIFIED
3	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
4	CO DETECTOR ACTIVATED - CO FOUND
9	CO DETECTOR MALFUNCTION
<b>1,049</b>	
<b>College Hill</b>	
42	STRUCTURE FIRE
1	OUTSIDE OF STRUCTURE FIRE
17	VEHICLE FIRE
8	REFUSE FIRE
1	STEAM RUPTURE

## Incidents by Neighborhood - 1998

2	AIR, GAS RUPTURE
1	OVERPRESSURE RUPTURE - NOT CLASSIFIED
1,527	EMERGENCY MEDICAL CALL
18	LOCK IN
5	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
5	RESCUE CALL - NOT CLASSIFIED
7	SPILL, LEAK WITH NO IGNITION
8	POWER LINE DOWN
20	ARCING, SHORTED ELECTRICAL EQUIPMENT
17	HAZARDOUS CONDITION - NOT CLASSIFIED
1	LOCK-OUT
4	WATER CUTOFF / EVACUATION
1	SMOKE, ODOR REMOVAL
6	ASSIST POLICE
2	UNAUTHORIZED BURNING
7	SERVICE CALL - NOT CLASSIFIED
1	GOOD INTENT CALL - INSUFFICIENT INFO.
37	SMOKE SCARE
1	VICINITY ALARM (INCL MULTIPLE BOXES FOR 1 FIRE)
3	STEAM, OTHER GAS MISTAKEN FOR SMOKE
25	GOOD INTENT CALL - NOT CLASSIFIED
9	MALICIOUS, MISCHIEVOUS FALSE CALL
141	SYSTEM MALFUNCTION
22	UNINTENTIONAL, ACCIDENTAL TRIP
3	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
6	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
4	CO DETECTOR ACTIVATED - CO FOUND
7	CO DETECTOR MALFUNCTION
1,959	
<b>Columbia / Tusculum</b>	
13	STRUCTURE FIRE
3	VEHICLE FIRE
3	TREES, BRUSH, GRASS FIRE
7	REFUSE FIRE
1	AIR, GAS RUPTURE



## Incidents by Neighborhood - 1998

354	EMERGENCY MEDICAL CALL
2	LOCK IN
1	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
1	RESCUE CALL - NOT CLASSIFIED
4	SPILL, LEAK WITH NO IGNITION
1	EXCESSIVE HEAT
1	POWER LINE DOWN
4	ARCING, SHORTED ELECTRICAL EQUIPMENT
6	HAZARDOUS CONDITION - NOT CLASSIFIED
1	ASSIST POLICE
2	UNAUTHORIZED BURNING
13	SMOKE SCARE
10	GOOD INTENT CALL - NOT CLASSIFIED
2	MALICIOUS, MISCHIEVOUS FALSE CALL
33	SYSTEM MALFUNCTION
4	UNINTENTIONAL, ACCIDENTAL TRIP
1	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
1	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
1	CO DETECTOR ACTIVATED - CO FOUND
1	CO DETECTOR MALFUNCTION
<b>470</b>	
<b>Corryville</b>	
22	STRUCTURE FIRE
4	OUTSIDE OF STRUCTURE FIRE
7	VEHICLE FIRE
3	TREES, BRUSH, GRASS FIRE
11	REFUSE FIRE
4	STEAM RUPTURE
564	EMERGENCY MEDICAL CALL
16	LOCK IN
7	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
1	RESCUE CALL - NOT CLASSIFIED
11	SPILL, LEAK WITH NO IGNITION
5	EXPLOSIVE, BOMB REMOVAL
1	EXCESSIVE HEAT

## Incidents by Neighborhood - 1998

1	POWER LINE DOWN
13	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	CHEMICAL EMERGENCY
13	HAZARDOUS CONDITION - NOT CLASSIFIED
5	LOCK-OUT
1	WATER CUTOFF / EVACUATION
1	SMOKE, ODOR REMOVAL
1	ASSIST POLICE
2	UNAUTHORIZED BURNING
3	SERVICE CALL - NOT CLASSIFIED
3	GOOD INTENT CALL - INSUFFICIENT INFO.
21	SMOKE SCARE
2	WRONG LOCATION
3	VICINITY ALARM (INCL MULTIPLE BOXES FOR 1 FIRE)
2	STEAM, OTHER GAS MISTAKEN FOR SMOKE
42	GOOD INTENT CALL - NOT CLASSIFIED
10	MALICIOUS, MISCHIEVOUS FALSE CALL
219	SYSTEM MALFUNCTION
25	UNINTENTIONAL, ACCIDENTAL TRIP
1	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
1	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
5	CO DETECTOR MALFUNCTION
<b>1,031</b>	
<b>CUF</b>	
36	STRUCTURE FIRE
4	OUTSIDE OF STRUCTURE FIRE
25	VEHICLE FIRE
15	REFUSE FIRE
3	STEAM RUPTURE
1	AIR, GAS RUPTURE
965	EMERGENCY MEDICAL CALL
5	LOCK IN
7	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
8	RESCUE CALL - NOT CLASSIFIED
1	HAZARDOUS CONDITION - INSUFFICIENT INFO.

## Incidents by Neighborhood - 1998

6	SPILL, LEAK WITH NO IGNITION
1	EXPLOSIVE, BOMB REMOVAL
3	POWER LINE DOWN
20	ARCING, SHORTED ELECTRICAL EQUIPMENT
3	CHEMICAL EMERGENCY
12	HAZARDOUS CONDITION - NOT CLASSIFIED
1	LOCK-OUT
1	SMOKE, ODOR REMOVAL
8	ASSIST POLICE
6	UNAUTHORIZED BURNING
4	SERVICE CALL - NOT CLASSIFIED
44	SMOKE SCARE
2	CONTROLLED BURNING
1	VICINITY ALARM (INCL MULTIPLE BOXES FOR 1 FIRE)
3	STEAM, OTHER GAS MISTAKEN FOR SMOKE
48	GOOD INTENT CALL - NOT CLASSIFIED
1	FALSE CALL - INSUFFICIENT INFO.
34	MALICIOUS, MISCHIEVOUS FALSE CALL
198	SYSTEM MALFUNCTION
27	UNINTENTIONAL, ACCIDENTAL TRIP
1	FALSE CALL - NOT CLASSIFIED
2	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
1	NO CO DETECTOR PRESENT - VICTIM(S) TO HOSPITAL
4	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
9	CO DETECTOR MALFUNCTION
<b>1,510</b>	
<b>East End</b>	
8	STRUCTURE FIRE
6	VEHICLE FIRE
8	REFUSE FIRE
1	STEAM RUPTURE
254	EMERGENCY MEDICAL CALL
3	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
6	RESCUE CALL - NOT CLASSIFIED
1	SPILL, LEAK WITH NO IGNITION

## Incidents by Neighborhood - 1998

1	EXPLOSIVE, BOMB REMOVAL
5	ARCING, SHORTED ELECTRICAL EQUIPMENT
10	AIRCRAFT STANDBY
4	HAZARDOUS CONDITION - NOT CLASSIFIED
2	ASSIST POLICE
1	UNAUTHORIZED BURNING
10	SERVICE CALL - NOT CLASSIFIED
2	GOOD INTENT CALL - INSUFFICIENT INFO.
1	WRONG LOCATION
14	GOOD INTENT CALL - NOT CLASSIFIED
1	FALSE CALL - INSUFFICIENT INFO.
2	MALICIOUS, MISCHIEVOUS FALSE CALL
16	SYSTEM MALFUNCTION
1	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
1	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
2	CO DETECTOR MALFUNCTION
<b>360</b>	
<b>East Price Hill</b>	
53	STRUCTURE FIRE
7	OUTSIDE OF STRUCTURE FIRE
15	VEHICLE FIRE
2	TREES, BRUSH, GRASS FIRE
19	REFUSE FIRE
2,079	EMERGENCY MEDICAL CALL
15	LOCK IN
4	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
4	RESCUE CALL - NOT CLASSIFIED
17	SPILL, LEAK WITH NO IGNITION
2	EXPLOSIVE, BOMB REMOVAL
8	POWER LINE DOWN
30	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	NATURAL GAS LEAK/ODOR
16	HAZARDOUS CONDITION - NOT CLASSIFIED
6	LOCK-OUT
7	WATER CUTOFF / EVACUATION

## Incidents by Neighborhood - 1998

2	SMOKE, ODOR REMOVAL
13	ASSIST POLICE
4	UNAUTHORIZED BURNING
11	SERVICE CALL - NOT CLASSIFIED
5	GOOD INTENT CALL - INSUFFICIENT INFO.
37	SMOKE SCARE
3	CONTROLLED BURNING
1	VICINITY ALARM (INCL MULTIPLE BOXES FOR 1 FIRE)
2	STEAM, OTHER GAS MISTAKEN FOR SMOKE
49	GOOD INTENT CALL - NOT CLASSIFIED
20	MALICIOUS, MISCHIEVOUS FALSE CALL
65	SYSTEM MALFUNCTION
9	UNINTENTIONAL, ACCIDENTAL TRIP
5	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
1	NO CO DETECTOR PRESENT - CO ABOVE ACTION LEVEL
2	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
7	CO DETECTOR ACTIVATED - CO FOUND
10	CO DETECTOR MALFUNCTION
<b>2,531</b>	
<b>East Walnut Hills</b>	
13	STRUCTURE FIRE
4	VEHICLE FIRE
2	TREES, BRUSH, GRASS FIRE
2	REFUSE FIRE
1	FIRE, EXPLOSION - NOT CLASSIFIED
468	EMERGENCY MEDICAL CALL
8	LOCK IN
2	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
5	SPILL, LEAK WITH NO IGNITION
1	POWER LINE DOWN
9	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	CHEMICAL EMERGENCY
8	HAZARDOUS CONDITION - NOT CLASSIFIED
1	LOCK-OUT
1	WATER CUTOFF / EVACUATION

## Incidents by Neighborhood - 1998

1	ASSIST POLICE
3	SERVICE CALL - NOT CLASSIFIED
1	GOOD INTENT CALL - INSUFFICIENT INFO.
16	SMOKE SCARE
18	GOOD INTENT CALL - NOT CLASSIFIED
1	FALSE CALL - INSUFFICIENT INFO.
2	MALICIOUS, MISCHIEVOUS FALSE CALL
62	SYSTEM MALFUNCTION
8	UNINTENTIONAL, ACCIDENTAL TRIP
1	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
1	CO DETECTOR ACTIVATED - CO FOUND
3	CO DETECTOR MALFUNCTION
<b>643</b>	
<b>East Westwood</b>	
9	STRUCTURE FIRE
10	VEHICLE FIRE
1	TREES, BRUSH, GRASS FIRE
1	AIR, GAS RUPTURE
316	EMERGENCY MEDICAL CALL
5	LOCK IN
1	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
1	RESCUE CALL - NOT CLASSIFIED
5	SPILL, LEAK WITH NO IGNITION
1	POWER LINE DOWN
1	NATURAL GAS LEAK/ODOR
2	WATER CUTOFF / EVACUATION
2	SERVICE CALL - NOT CLASSIFIED
2	GOOD INTENT CALL - INSUFFICIENT INFO.
8	SMOKE SCARE
1	STEAM, OTHER GAS MISTAKEN FOR SMOKE
7	GOOD INTENT CALL - NOT CLASSIFIED
10	MALICIOUS, MISCHIEVOUS FALSE CALL
9	SYSTEM MALFUNCTION
4	UNINTENTIONAL, ACCIDENTAL TRIP
2	NO CO DETECTOR PRESENT - CO ABOVE ACTION LEVEL

## Incidents by Neighborhood - 1998

2	CO DETECTOR MALFUNCTION
<b>400</b>	
<b>English Woods</b>	
11	STRUCTURE FIRE
5	VEHICLE FIRE
4	TREES, BRUSH, GRASS FIRE
5	REFUSE FIRE
731	EMERGENCY MEDICAL CALL
5	LOCK IN
6	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
1	POWER LINE DOWN
2	ARCING, SHORTED ELECTRICAL EQUIPMENT
2	NATURAL GAS LEAK/ODOR
4	HAZARDOUS CONDITION - NOT CLASSIFIED
1	WATER CUTOFF / EVACUATION
2	UNAUTHORIZED BURNING
1	GOOD INTENT CALL - INSUFFICIENT INFO.
22	SMOKE SCARE
1	CONTROLLED BURNING
14	GOOD INTENT CALL - NOT CLASSIFIED
6	MALICIOUS, MISCHIEVOUS FALSE CALL
17	SYSTEM MALFUNCTION
5	UNINTENTIONAL, ACCIDENTAL TRIP
1	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
<b>846</b>	
<b>Evanston</b>	
2	FIRE, EXPLOSION - INSUFFICIENT INFO.
31	STRUCTURE FIRE
2	OUTSIDE OF STRUCTURE FIRE
28	VEHICLE FIRE
1	TREES, BRUSH, GRASS FIRE
7	REFUSE FIRE
3	STEAM RUPTURE
1,019	EMERGENCY MEDICAL CALL

## Incidents by Neighborhood - 1998

6	LOCK IN
3	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
1	RESCUE CALL - NOT CLASSIFIED
2	SPILL, LEAK WITH NO IGNITION
1	EXPLOSIVE, BOMB REMOVAL
2	POWER LINE DOWN
10	ARCING, SHORTED ELECTRICAL EQUIPMENT
6	HAZARDOUS CONDITION - NOT CLASSIFIED
1	LOCK-OUT
2	WATER CUTOFF / EVACUATION
6	ASSIST POLICE
6	SERVICE CALL - NOT CLASSIFIED
1	GOOD INTENT CALL - INSUFFICIENT INFO.
35	SMOKE SCARE
3	WRONG LOCATION
1	STEAM, OTHER GAS MISTAKEN FOR SMOKE
27	GOOD INTENT CALL - NOT CLASSIFIED
2	FALSE CALL - INSUFFICIENT INFO.
19	MALICIOUS, MISCHIEVOUS FALSE CALL
1	BOMB SCARE, NO BOMB
76	SYSTEM MALFUNCTION
9	UNINTENTIONAL, ACCIDENTAL TRIP
1	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
1	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
3	CO DETECTOR MALFUNCTION
<b>1,318</b>	
<b>Fay Apartments</b>	
10	STRUCTURE FIRE
6	VEHICLE FIRE
1	TREES, BRUSH, GRASS FIRE
6	REFUSE FIRE
447	EMERGENCY MEDICAL CALL
4	LOCK IN
2	SPILL, LEAK WITH NO IGNITION
2	ARCING, SHORTED ELECTRICAL EQUIPMENT



## Incidents by Neighborhood - 1998

3	HAZARDOUS CONDITION - NOT CLASSIFIED
1	WATER CUTOFF / EVACUATION
1	ASSIST POLICE
9	SMOKE SCARE
7	GOOD INTENT CALL - NOT CLASSIFIED
3	MALICIOUS, MISCHIEVOUS FALSE CALL
5	SYSTEM MALFUNCTION
3	UNINTENTIONAL, ACCIDENTAL TRIP
1	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
1	CO DETECTOR MALFUNCTION
<b>512</b>	
<b>Hartwell</b>	
14	STRUCTURE FIRE
4	VEHICLE FIRE
1	TREES, BRUSH, GRASS FIRE
3	REFUSE FIRE
487	EMERGENCY MEDICAL CALL
5	LOCK IN
2	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
5	SPILL, LEAK WITH NO IGNITION
1	EXPLOSIVE, BOMB REMOVAL
4	ARCING, SHORTED ELECTRICAL EQUIPMENT
7	HAZARDOUS CONDITION - NOT CLASSIFIED
1	WATER CUTOFF / EVACUATION
5	SERVICE CALL - NOT CLASSIFIED
5	GOOD INTENT CALL - INSUFFICIENT INFO.
12	SMOKE SCARE
2	WRONG LOCATION
1	CONTROLLED BURNING
1	STEAM, OTHER GAS MISTAKEN FOR SMOKE
5	GOOD INTENT CALL - NOT CLASSIFIED
2	MALICIOUS, MISCHIEVOUS FALSE CALL
31	SYSTEM MALFUNCTION
2	UNINTENTIONAL, ACCIDENTAL TRIP
1	FALSE CALL - NOT CLASSIFIED

## Incidents by Neighborhood - 1998

1	NO CO DETECTOR PRESENT - CO ABOVE ACTION LEVEL
1	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
2	CO DETECTOR MALFUNCTION
<b>605</b>	
<b>Hyde Park</b>	
19	STRUCTURE FIRE
1	OUTSIDE OF STRUCTURE FIRE
9	VEHICLE FIRE
1	TREES, BRUSH, GRASS FIRE
6	REFUSE FIRE
1	OUTSIDE SPILL, LEAKING WITH ENSUING FIRE
2	AIR, GAS RUPTURE
636	EMERGENCY MEDICAL CALL
7	LOCK IN
3	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
1	RESCUE CALL - NOT CLASSIFIED
1	HAZARDOUS CONDITION - INSUFFICIENT INFO.
4	SPILL, LEAK WITH NO IGNITION
2	POWER LINE DOWN
21	ARCING, SHORTED ELECTRICAL EQUIPMENT
20	HAZARDOUS CONDITION - NOT CLASSIFIED
1	WATER CUTOFF / EVACUATION
1	ASSIST POLICE
7	SERVICE CALL - NOT CLASSIFIED
1	GOOD INTENT CALL - INSUFFICIENT INFO.
35	SMOKE SCARE
1	WRONG LOCATION
28	GOOD INTENT CALL - NOT CLASSIFIED
13	MALICIOUS, MISCHIEVOUS FALSE CALL
120	SYSTEM MALFUNCTION
30	UNINTENTIONAL, ACCIDENTAL TRIP
1	FALSE CALL - NOT CLASSIFIED
3	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
2	NO CO DETECTOR PRESENT - CO ABOVE ACTION LEVEL
3	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL

## Incidents by Neighborhood - 1998

23	CO DETECTOR MALFUNCTION
<b>1,003</b>	
<b>Kennedy Heights</b>	
15	STRUCTURE FIRE
5	VEHICLE FIRE
2	TREES, BRUSH, GRASS FIRE
3	REFUSE FIRE
1	STEAM RUPTURE
487	EMERGENCY MEDICAL CALL
5	LOCK IN
2	SPILL, LEAK WITH NO IGNITION
1	EXCESSIVE HEAT
1	POWER LINE DOWN
6	ARCING, SHORTED ELECTRICAL EQUIPMENT
5	HAZARDOUS CONDITION - NOT CLASSIFIED
1	LOCK-OUT
2	WATER CUTOFF / EVACUATION
3	SMOKE, ODOR REMOVAL
5	SERVICE CALL - NOT CLASSIFIED
1	GOOD INTENT CALL - INSUFFICIENT INFO.
11	SMOKE SCARE
1	CONTROLLED BURNING
2	STEAM, OTHER GAS MISTAKEN FOR SMOKE
10	GOOD INTENT CALL - NOT CLASSIFIED
25	SYSTEM MALFUNCTION
4	UNINTENTIONAL, ACCIDENTAL TRIP
2	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
2	CO DETECTOR ACTIVATED - CO FOUND
7	CO DETECTOR MALFUNCTION
<b>609</b>	
<b>Linwood</b>	
6	STRUCTURE FIRE
3	VEHICLE FIRE
6	REFUSE FIRE

## Incidents by Neighborhood - 1998

65	EMERGENCY MEDICAL CALL
2	SPILL, LEAK WITH NO IGNITION
2	POWER LINE DOWN
1	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	CHEMICAL EMERGENCY
2	HAZARDOUS CONDITION - NOT CLASSIFIED
2	UNAUTHORIZED BURNING
9	SMOKE SCARE
1	CONTROLLED BURNING
5	GOOD INTENT CALL - NOT CLASSIFIED
1	MALICIOUS, MISCHIEVOUS FALSE CALL
9	SYSTEM MALFUNCTION
1	CO DETECTOR MALFUNCTION
<b>116</b>	
<b>Lower Price Hill</b>	
15	STRUCTURE FIRE
1	OUTSIDE OF STRUCTURE FIRE
6	VEHICLE FIRE
17	REFUSE FIRE
1	FIRE, EXPLOSION - NOT CLASSIFIED
1	AIR, GAS RUPTURE
506	EMERGENCY MEDICAL CALL
5	LOCK IN
2	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
1	RESCUE CALL - NOT CLASSIFIED
5	SPILL, LEAK WITH NO IGNITION
3	POWER LINE DOWN
1	ARCING, SHORTED ELECTRICAL EQUIPMENT
2	CHEMICAL EMERGENCY
4	HAZARDOUS CONDITION - NOT CLASSIFIED
1	LOCK-OUT
2	WATER CUTOFF / EVACUATION
6	SERVICE CALL - NOT CLASSIFIED
1	GOOD INTENT CALL - INSUFFICIENT INFO.
17	SMOKE SCARE

## Incidents by Neighborhood - 1998

1	WRONG LOCATION
3	CONTROLLED BURNING
15	GOOD INTENT CALL - NOT CLASSIFIED
4	MALICIOUS, MISCHIEVOUS FALSE CALL
60	SYSTEM MALFUNCTION
6	UNINTENTIONAL, ACCIDENTAL TRIP
1	CO DETECTOR MALFUNCTION
<b>687</b>	
<b>Madisonville</b>	
33	STRUCTURE FIRE
1	OUTSIDE OF STRUCTURE FIRE
13	VEHICLE FIRE
3	TREES, BRUSH, GRASS FIRE
5	REFUSE FIRE
1	OUTSIDE SPILL, LEAKING WITH ENSUING FIRE
1	AIR, GAS RUPTURE
1,259	EMERGENCY MEDICAL CALL
7	LOCK IN
2	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
7	RESCUE CALL - NOT CLASSIFIED
1	HAZARDOUS CONDITION - INSUFFICIENT INFO.
7	SPILL, LEAK WITH NO IGNITION
2	EXPLOSIVE, BOMB REMOVAL
1	EXCESSIVE HEAT
8	POWER LINE DOWN
15	ARCING, SHORTED ELECTRICAL EQUIPMENT
2	CHEMICAL EMERGENCY
15	HAZARDOUS CONDITION - NOT CLASSIFIED
1	LOCK-OUT
4	WATER CUTOFF / EVACUATION
1	SMOKE, ODOR REMOVAL
4	ASSIST POLICE
2	UNAUTHORIZED BURNING
11	SERVICE CALL - NOT CLASSIFIED
1	GOOD INTENT CALL - INSUFFICIENT INFO.

## Incidents by Neighborhood - 1998

30	SMOKE SCARE
1	WRONG LOCATION
1	CONTROLLED BURNING
2	STEAM, OTHER GAS MISTAKEN FOR SMOKE
33	GOOD INTENT CALL - NOT CLASSIFIED
1	FALSE CALL - INSUFFICIENT INFO.
8	MALICIOUS, MISCHIEVOUS FALSE CALL
76	SYSTEM MALFUNCTION
25	UNINTENTIONAL, ACCIDENTAL TRIP
3	FALSE CALL - NOT CLASSIFIED
1	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
1	NO CO DETECTOR PRESENT - CO ABOVE ACTION LEVEL
11	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
1	CO DETECTOR ACTIVATED - CO FOUND
15	CO DETECTOR MALFUNCTION
<b>1,616</b>	
<b>Millvale</b>	
4	STRUCTURE FIRE
5	OUTSIDE OF STRUCTURE FIRE
1	VEHICLE FIRE
8	REFUSE FIRE
442	EMERGENCY MEDICAL CALL
1	LOCK IN
1	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
1	RESCUE CALL - NOT CLASSIFIED
1	SPILL, LEAK WITH NO IGNITION
1	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	CHEMICAL EMERGENCY
4	HAZARDOUS CONDITION - NOT CLASSIFIED
1	WATER CUTOFF / EVACUATION
3	ASSIST POLICE
7	SMOKE SCARE
1	STEAM, OTHER GAS MISTAKEN FOR SMOKE
9	GOOD INTENT CALL - NOT CLASSIFIED
4	MALICIOUS, MISCHIEVOUS FALSE CALL

## Incidents by Neighborhood - 1998

11	SYSTEM MALFUNCTION
1	UNINTENTIONAL, ACCIDENTAL TRIP
1	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
<b>508</b>	
<b>Mount Adams</b>	
5	STRUCTURE FIRE
1	OUTSIDE OF STRUCTURE FIRE
5	REFUSE FIRE
116	EMERGENCY MEDICAL CALL
3	SPILL, LEAK WITH NO IGNITION
1	POWER LINE DOWN
2	HAZARDOUS CONDITION - NOT CLASSIFIED
1	WATER CUTOFF / EVACUATION
3	SERVICE CALL - NOT CLASSIFIED
6	SMOKE SCARE
5	GOOD INTENT CALL - NOT CLASSIFIED
2	MALICIOUS, MISCHIEVOUS FALSE CALL
14	SYSTEM MALFUNCTION
8	UNINTENTIONAL, ACCIDENTAL TRIP
1	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
1	CO DETECTOR MALFUNCTION
<b>174</b>	
<b>Mount Airy</b>	
20	STRUCTURE FIRE
1	OUTSIDE OF STRUCTURE FIRE
15	VEHICLE FIRE
2	TREES, BRUSH, GRASS FIRE
12	REFUSE FIRE
1	AIR, GAS RUPTURE
629	EMERGENCY MEDICAL CALL
8	LOCK IN
3	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
1	HAZARDOUS CONDITION - INSUFFICIENT INFO.
3	SPILL, LEAK WITH NO IGNITION

## Incidents by Neighborhood - 1998

2	EXPLOSIVE, BOMB REMOVAL
2	POWER LINE DOWN
12	ARCING, SHORTED ELECTRICAL EQUIPMENT
7	HAZARDOUS CONDITION - NOT CLASSIFIED
2	WATER CUTOFF / EVACUATION
1	SMOKE, ODOR REMOVAL
3	ASSIST POLICE
1	UNAUTHORIZED BURNING
4	SERVICE CALL - NOT CLASSIFIED
2	GOOD INTENT CALL - INSUFFICIENT INFO.
22	SMOKE SCARE
20	GOOD INTENT CALL - NOT CLASSIFIED
4	MALICIOUS, MISCHIEVOUS FALSE CALL
26	SYSTEM MALFUNCTION
7	UNINTENTIONAL, ACCIDENTAL TRIP
3	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
4	CO DETECTOR ACTIVATED - CO FOUND
5	CO DETECTOR MALFUNCTION
<b>822</b>	
<b>Mount Auburn</b>	
28	STRUCTURE FIRE
3	OUTSIDE OF STRUCTURE FIRE
12	VEHICLE FIRE
3	TREES, BRUSH, GRASS FIRE
14	REFUSE FIRE
805	EMERGENCY MEDICAL CALL
7	LOCK IN
4	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
3	RESCUE CALL - NOT CLASSIFIED
1	HAZARDOUS CONDITION - INSUFFICIENT INFO.
5	SPILL, LEAK WITH NO IGNITION
3	POWER LINE DOWN
12	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	CHEMICAL EMERGENCY
13	HAZARDOUS CONDITION - NOT CLASSIFIED



## Incidents by Neighborhood - 1998

1	LOCK-OUT
1	WATER CUTOFF / EVACUATION
1	SMOKE, ODOR REMOVAL
3	ASSIST POLICE
4	UNAUTHORIZED BURNING
13	SERVICE CALL - NOT CLASSIFIED
3	GOOD INTENT CALL - INSUFFICIENT INFO.
13	SMOKE SCARE
1	CONTROLLED BURNING
1	STEAM, OTHER GAS MISTAKEN FOR SMOKE
30	GOOD INTENT CALL - NOT CLASSIFIED
14	MALICIOUS, MISCHIEVOUS FALSE CALL
65	SYSTEM MALFUNCTION
12	UNINTENTIONAL, ACCIDENTAL TRIP
2	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
3	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
1	CO DETECTOR ACTIVATED - CO FOUND
5	CO DETECTOR MALFUNCTION
<b>1,087</b>	
<b>Mount Lookout</b>	
4	STRUCTURE FIRE
2	OUTSIDE OF STRUCTURE FIRE
2	VEHICLE FIRE
2	REFUSE FIRE
159	EMERGENCY MEDICAL CALL
5	LOCK IN
1	HAZARDOUS CONDITION - INSUFFICIENT INFO.
1	SPILL, LEAK WITH NO IGNITION
1	EXCESSIVE HEAT
2	POWER LINE DOWN
9	ARCING, SHORTED ELECTRICAL EQUIPMENT
8	HAZARDOUS CONDITION - NOT CLASSIFIED
1	LOCK-OUT
1	ASSIST POLICE
6	SERVICE CALL - NOT CLASSIFIED

## Incidents by Neighborhood - 1998

1	GOOD INTENT CALL - INSUFFICIENT INFO.
15	SMOKE SCARE
6	GOOD INTENT CALL - NOT CLASSIFIED
25	SYSTEM MALFUNCTION
6	UNINTENTIONAL, ACCIDENTAL TRIP
4	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
4	CO DETECTOR ACTIVATED - CO FOUND
9	CO DETECTOR MALFUNCTION
<b>274</b>	
<b>Mount Washington</b>	
14	STRUCTURE FIRE
9	VEHICLE FIRE
1	TREES, BRUSH, GRASS FIRE
8	REFUSE FIRE
745	EMERGENCY MEDICAL CALL
7	LOCK IN
2	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
4	RESCUE CALL - NOT CLASSIFIED
3	HAZARDOUS CONDITION - INSUFFICIENT INFO.
5	SPILL, LEAK WITH NO IGNITION
2	EXPLOSIVE, BOMB REMOVAL
2	POWER LINE DOWN
17	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	CHEMICAL EMERGENCY
5	HAZARDOUS CONDITION - NOT CLASSIFIED
1	SERVICE CALL - INSUFFICIENT INFO.
3	WATER CUTOFF / EVACUATION
3	UNAUTHORIZED BURNING
6	SERVICE CALL - NOT CLASSIFIED
8	GOOD INTENT CALL - INSUFFICIENT INFO.
21	SMOKE SCARE
1	STEAM, OTHER GAS MISTAKEN FOR SMOKE
15	GOOD INTENT CALL - NOT CLASSIFIED
1	FALSE CALL - INSUFFICIENT INFO.
4	MALICIOUS, MISCHIEVOUS FALSE CALL

## Incidents by Neighborhood - 1998

20	SYSTEM MALFUNCTION
4	UNINTENTIONAL, ACCIDENTAL TRIP
8	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
3	CO DETECTOR ACTIVATED - CO FOUND
15	CO DETECTOR MALFUNCTION
<b>938</b>	
<b>North Avondale</b>	
28	STRUCTURE FIRE
9	VEHICLE FIRE
4	TREES, BRUSH, GRASS FIRE
10	REFUSE FIRE
1	EXPLOSION, NO AFTER-FIRE
1	OVERPRESSURE RUPTURE - INSUFFICIENT INFO.
1	STEAM RUPTURE
926	EMERGENCY MEDICAL CALL
7	LOCK IN
9	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
1	RESCUE CALL - NOT CLASSIFIED
6	SPILL, LEAK WITH NO IGNITION
1	EXPLOSIVE, BOMB REMOVAL
8	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	CHEMICAL EMERGENCY
13	HAZARDOUS CONDITION - NOT CLASSIFIED
1	SERVICE CALL - INSUFFICIENT INFO.
4	WATER CUTOFF / EVACUATION
3	ASSIST POLICE
1	UNAUTHORIZED BURNING
3	SERVICE CALL - NOT CLASSIFIED
5	GOOD INTENT CALL - INSUFFICIENT INFO.
29	SMOKE SCARE
23	GOOD INTENT CALL - NOT CLASSIFIED
7	MALICIOUS, MISCHIEVOUS FALSE CALL
76	SYSTEM MALFUNCTION
13	UNINTENTIONAL, ACCIDENTAL TRIP
1	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL

## Incidents by Neighborhood - 1998

2	CO DETECTOR ACTIVATED - CO FOUND
6	CO DETECTOR MALFUNCTION
<b>1,200</b>	
<b>North Fairmount</b>	
8	STRUCTURE FIRE
2	VEHICLE FIRE
2	REFUSE FIRE
1	EXPLOSION, NO AFTER-FIRE
225	EMERGENCY MEDICAL CALL
1	LOCK IN
1	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
2	RESCUE CALL - NOT CLASSIFIED
1	HAZARDOUS CONDITION - INSUFFICIENT INFO.
1	SPILL, LEAK WITH NO IGNITION
1	POWER LINE DOWN
1	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	HAZARDOUS CONDITION - NOT CLASSIFIED
2	WATER CUTOFF / EVACUATION
1	ASSIST POLICE
3	SERVICE CALL - NOT CLASSIFIED
11	SMOKE SCARE
1	VICINITY ALARM (INCL MULTIPLE BOXES FOR 1 FIRE)
4	GOOD INTENT CALL - NOT CLASSIFIED
10	MALICIOUS, MISCHIEVOUS FALSE CALL
10	SYSTEM MALFUNCTION
3	UNINTENTIONAL, ACCIDENTAL TRIP
1	CO DETECTOR MALFUNCTION
<b>293</b>	
<b>Northside</b>	
52	STRUCTURE FIRE
3	OUTSIDE OF STRUCTURE FIRE
20	VEHICLE FIRE
5	TREES, BRUSH, GRASS FIRE
19	REFUSE FIRE

## Incidents by Neighborhood - 1998

1	RESCUE CALL - INSUFFICIENT INFO.
1,378	EMERGENCY MEDICAL CALL
6	LOCK IN
6	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
8	RESCUE CALL - NOT CLASSIFIED
12	SPILL, LEAK WITH NO IGNITION
8	POWER LINE DOWN
18	ARCING, SHORTED ELECTRICAL EQUIPMENT
27	HAZARDOUS CONDITION - NOT CLASSIFIED
2	LOCK-OUT
2	WATER CUTOFF / EVACUATION
1	SMOKE, ODOR REMOVAL
9	ASSIST POLICE
1	UNAUTHORIZED BURNING
13	SERVICE CALL - NOT CLASSIFIED
1	GOOD INTENT CALL - INSUFFICIENT INFO.
34	SMOKE SCARE
4	WRONG LOCATION
64	GOOD INTENT CALL - NOT CLASSIFIED
12	MALICIOUS, MISCHIEVOUS FALSE CALL
49	SYSTEM MALFUNCTION
5	UNINTENTIONAL, ACCIDENTAL TRIP
2	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
2	NO CO DETECTOR PRESENT - CO ABOVE ACTION LEVEL
2	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
5	CO DETECTOR ACTIVATED - CO FOUND
1	CO DETECTOR ACTIVATED - VICTIM(S) TO HOSPITAL
9	CO DETECTOR MALFUNCTION
<b>1,781</b>	
<b>Oakley</b>	
25	STRUCTURE FIRE
5	OUTSIDE OF STRUCTURE FIRE
25	VEHICLE FIRE
3	TREES, BRUSH, GRASS FIRE
12	REFUSE FIRE

## Incidents by Neighborhood - 1998

1	OVERPRESSURE RUPTURE - INSUFFICIENT INFO.
1,073	EMERGENCY MEDICAL CALL
8	LOCK IN
3	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
1	RESCUE CALL - NOT CLASSIFIED
3	HAZARDOUS CONDITION - INSUFFICIENT INFO.
3	SPILL, LEAK WITH NO IGNITION
3	EXPLOSIVE, BOMB REMOVAL
3	EXCESSIVE HEAT
2	POWER LINE DOWN
11	ARCING, SHORTED ELECTRICAL EQUIPMENT
6	CHEMICAL EMERGENCY
1	NATURAL GAS LEAK/ODOR
4	HAZARDOUS CONDITION - NOT CLASSIFIED
3	WATER CUTOFF / EVACUATION
1	SMOKE, ODOR REMOVAL
4	ASSIST POLICE
1	UNAUTHORIZED BURNING
5	SERVICE CALL - NOT CLASSIFIED
6	GOOD INTENT CALL - INSUFFICIENT INFO.
33	SMOKE SCARE
2	WRONG LOCATION
4	STEAM, OTHER GAS MISTAKEN FOR SMOKE
40	GOOD INTENT CALL - NOT CLASSIFIED
3	FALSE CALL - INSUFFICIENT INFO.
2	MALICIOUS, MISCHIEVOUS FALSE CALL
46	SYSTEM MALFUNCTION
10	UNINTENTIONAL, ACCIDENTAL TRIP
5	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
6	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
6	CO DETECTOR ACTIVATED - CO FOUND
1	CO DETECTOR ACTIVATED - VICTIM(S) TO HOSPITAL
19	CO DETECTOR MALFUNCTION
<b>1,389</b>	
<b>Obryonville</b>	

## Incidents by Neighborhood - 1998

2	STRUCTURE FIRE
3	VEHICLE FIRE
2	TREES, BRUSH, GRASS FIRE
3	REFUSE FIRE
33	EMERGENCY MEDICAL CALL
2	SPILL, LEAK WITH NO IGNITION
1	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	HAZARDOUS CONDITION - NOT CLASSIFIED
2	SERVICE CALL - NOT CLASSIFIED
3	SMOKE SCARE
3	GOOD INTENT CALL - NOT CLASSIFIED
1	MALICIOUS, MISCHIEVOUS FALSE CALL
7	SYSTEM MALFUNCTION
3	UNINTENTIONAL, ACCIDENTAL TRIP
<b>66</b>	
<b>Over-the-Rhine</b>	
101	STRUCTURE FIRE
12	OUTSIDE OF STRUCTURE FIRE
20	VEHICLE FIRE
4	TREES, BRUSH, GRASS FIRE
37	REFUSE FIRE
1	RESCUE CALL - INSUFFICIENT INFO.
3,936	EMERGENCY MEDICAL CALL
20	LOCK IN
5	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
3	RESCUE CALL - NOT CLASSIFIED
18	SPILL, LEAK WITH NO IGNITION
1	EXPLOSIVE, BOMB REMOVAL
1	EXCESSIVE HEAT
5	POWER LINE DOWN
23	ARCING, SHORTED ELECTRICAL EQUIPMENT
3	CHEMICAL EMERGENCY
3	NATURAL GAS LEAK/ODOR
30	HAZARDOUS CONDITION - NOT CLASSIFIED
1	LOCK-OUT

## Incidents by Neighborhood - 1998

7	WATER CUTOFF / EVACUATION
1	SMOKE, ODOR REMOVAL
17	ASSIST POLICE
11	UNAUTHORIZED BURNING
28	SERVICE CALL - NOT CLASSIFIED
5	GOOD INTENT CALL - INSUFFICIENT INFO.
44	SMOKE SCARE
2	WRONG LOCATION
2	CONTROLLED BURNING
1	VICINITY ALARM (INCL MULTIPLE BOXES FOR 1 FIRE)
4	STEAM, OTHER GAS MISTAKEN FOR SMOKE
104	GOOD INTENT CALL - NOT CLASSIFIED
38	MALICIOUS, MISCHIEVOUS FALSE CALL
154	SYSTEM MALFUNCTION
22	UNINTENTIONAL, ACCIDENTAL TRIP
1	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
2	NO CO DETECTOR PRESENT - CO ABOVE ACTION LEVEL
2	CO DETECTOR MALFUNCTION
<b>4,669</b>	
<b>Paddock Hills</b>	
9	STRUCTURE FIRE
2	VEHICLE FIRE
216	EMERGENCY MEDICAL CALL
1	LOCK IN
7	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
3	SPILL, LEAK WITH NO IGNITION
4	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	HAZARDOUS CONDITION - NOT CLASSIFIED
1	WATER CUTOFF / EVACUATION
5	SERVICE CALL - NOT CLASSIFIED
2	GOOD INTENT CALL - INSUFFICIENT INFO.
12	SMOKE SCARE
5	GOOD INTENT CALL - NOT CLASSIFIED
1	MALICIOUS, MISCHIEVOUS FALSE CALL
21	SYSTEM MALFUNCTION



## Incidents by Neighborhood - 1998

1	UNINTENTIONAL, ACCIDENTAL TRIP
1	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
2	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
<b>294</b>	
<b>Pendleton</b>	
11	STRUCTURE FIRE
2	VEHICLE FIRE
6	REFUSE FIRE
333	EMERGENCY MEDICAL CALL
2	LOCK IN
4	RESCUE CALL - NOT CLASSIFIED
4	SPILL, LEAK WITH NO IGNITION
1	POWER LINE DOWN
3	ARCING, SHORTED ELECTRICAL EQUIPMENT
4	HAZARDOUS CONDITION - NOT CLASSIFIED
4	WATER CUTOFF / EVACUATION
2	ASSIST POLICE
1	UNAUTHORIZED BURNING
42	SERVICE CALL - NOT CLASSIFIED
5	SMOKE SCARE
13	GOOD INTENT CALL - NOT CLASSIFIED
1	MALICIOUS, MISCHIEVOUS FALSE CALL
7	SYSTEM MALFUNCTION
2	UNINTENTIONAL, ACCIDENTAL TRIP
<b>447</b>	
<b>Pleasant Ridge</b>	
32	STRUCTURE FIRE
1	OUTSIDE OF STRUCTURE FIRE
9	VEHICLE FIRE
1	TREES, BRUSH, GRASS FIRE
6	REFUSE FIRE
5	AIR, GAS RUPTURE
1	OVERPRESSURE RUPTURE - NOT CLASSIFIED
622	EMERGENCY MEDICAL CALL

## Incidents by Neighborhood - 1998

5	LOCK IN
2	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
2	RESCUE CALL - NOT CLASSIFIED
9	SPILL, LEAK WITH NO IGNITION
2	EXPLOSIVE, BOMB REMOVAL
2	POWER LINE DOWN
16	ARCING, SHORTED ELECTRICAL EQUIPMENT
4	CHEMICAL EMERGENCY
10	HAZARDOUS CONDITION - NOT CLASSIFIED
3	WATER CUTOFF / EVACUATION
3	SMOKE, ODOR REMOVAL
3	ASSIST POLICE
1	UNAUTHORIZED BURNING
16	SERVICE CALL - NOT CLASSIFIED
1	GOOD INTENT CALL - INSUFFICIENT INFO.
6	SMOKE SCARE
2	WRONG LOCATION
1	STEAM, OTHER GAS MISTAKEN FOR SMOKE
36	GOOD INTENT CALL - NOT CLASSIFIED
1	FALSE CALL - INSUFFICIENT INFO.
1	MALICIOUS, MISCHIEVOUS FALSE CALL
1	BOMB SCARE, NO BOMB
45	SYSTEM MALFUNCTION
6	UNINTENTIONAL, ACCIDENTAL TRIP
1	NO CO DETECTOR PRESENT - CO ABOVE ACTION LEVEL
3	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
5	CO DETECTOR ACTIVATED - CO FOUND
8	CO DETECTOR MALFUNCTION
<b>872</b>	
<b>Queensgate</b>	
7	STRUCTURE FIRE
4	OUTSIDE OF STRUCTURE FIRE
16	VEHICLE FIRE
1	TREES, BRUSH, GRASS FIRE
8	REFUSE FIRE

## Incidents by Neighborhood - 1998

368	EMERGENCY MEDICAL CALL
1	LOCK IN
12	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
5	RESCUE CALL - NOT CLASSIFIED
8	SPILL, LEAK WITH NO IGNITION
3	EXPLOSIVE, BOMB REMOVAL
1	ARCING, SHORTED ELECTRICAL EQUIPMENT
7	CHEMICAL EMERGENCY
1	NATURAL GAS LEAK/ODOR
2	HAZARDOUS CONDITION - NOT CLASSIFIED
1	LOCK-OUT
3	WATER CUTOFF / EVACUATION
3	ASSIST POLICE
2	UNAUTHORIZED BURNING
1	COVER ASSIGNMENT (STANDBY AT STATION, MOVE-UP)
5	SERVICE CALL - NOT CLASSIFIED
8	GOOD INTENT CALL - INSUFFICIENT INFO.
12	SMOKE SCARE
1	CONTROLLED BURNING
1	STEAM, OTHER GAS MISTAKEN FOR SMOKE
16	GOOD INTENT CALL - NOT CLASSIFIED
6	MALICIOUS, MISCHIEVOUS FALSE CALL
115	SYSTEM MALFUNCTION
8	UNINTENTIONAL, ACCIDENTAL TRIP
<b>626</b>	
<b>Riverside</b>	
5	STRUCTURE FIRE
1	OUTSIDE OF STRUCTURE FIRE
6	VEHICLE FIRE
1	TREES, BRUSH, GRASS FIRE
6	REFUSE FIRE
1	FIRE, EXPLOSION - NOT CLASSIFIED
187	EMERGENCY MEDICAL CALL
2	LOCK IN
1	RESCUE CALL - NOT CLASSIFIED

## Incidents by Neighborhood - 1998

3	SPILL, LEAK WITH NO IGNITION
1	EXCESSIVE HEAT
5	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	CHEMICAL EMERGENCY
1	NATURAL GAS LEAK/ODOR
7	HAZARDOUS CONDITION - NOT CLASSIFIED
1	SMOKE, ODOR REMOVAL
3	UNAUTHORIZED BURNING
5	SERVICE CALL - NOT CLASSIFIED
2	GOOD INTENT CALL - INSUFFICIENT INFO.
8	SMOKE SCARE
1	CONTROLLED BURNING
9	GOOD INTENT CALL - NOT CLASSIFIED
1	MALICIOUS, MISCHIEVOUS FALSE CALL
28	SYSTEM MALFUNCTION
1	UNINTENTIONAL, ACCIDENTAL TRIP
1	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
3	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
3	CO DETECTOR MALFUNCTION
<b>294</b>	
<b>Roselawn</b>	
47	STRUCTURE FIRE
8	VEHICLE FIRE
2	TREES, BRUSH, GRASS FIRE
12	REFUSE FIRE
952	EMERGENCY MEDICAL CALL
13	LOCK IN
6	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
3	RESCUE CALL - NOT CLASSIFIED
9	SPILL, LEAK WITH NO IGNITION
13	ARCING, SHORTED ELECTRICAL EQUIPMENT
14	HAZARDOUS CONDITION - NOT CLASSIFIED
2	LOCK-OUT
2	WATER CUTOFF / EVACUATION
2	ASSIST POLICE

## Incidents by Neighborhood - 1998

6	SERVICE CALL - NOT CLASSIFIED
1	GOOD INTENT CALL - INSUFFICIENT INFO.
24	SMOKE SCARE
1	WRONG LOCATION
3	STEAM, OTHER GAS MISTAKEN FOR SMOKE
23	GOOD INTENT CALL - NOT CLASSIFIED
1	FALSE CALL - INSUFFICIENT INFO.
9	MALICIOUS, MISCHIEVOUS FALSE CALL
78	SYSTEM MALFUNCTION
5	UNINTENTIONAL, ACCIDENTAL TRIP
1	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
1	NO CO DETECTOR PRESENT - CO ABOVE ACTION LEVEL
3	CO DETECTOR ACTIVATED - CO FOUND
7	CO DETECTOR MALFUNCTION
<b>1,248</b>	
<b>Sayler Park</b>	
7	STRUCTURE FIRE
2	VEHICLE FIRE
4	REFUSE FIRE
237	EMERGENCY MEDICAL CALL
3	LOCK IN
1	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
9	SPILL, LEAK WITH NO IGNITION
3	POWER LINE DOWN
6	ARCING, SHORTED ELECTRICAL EQUIPMENT
2	NATURAL GAS LEAK/ODOR
3	HAZARDOUS CONDITION - NOT CLASSIFIED
1	LOCK-OUT
2	SMOKE, ODOR REMOVAL
3	UNAUTHORIZED BURNING
5	SERVICE CALL - NOT CLASSIFIED
1	GOOD INTENT CALL - INSUFFICIENT INFO.
6	SMOKE SCARE
9	GOOD INTENT CALL - NOT CLASSIFIED
3	SYSTEM MALFUNCTION

## Incidents by Neighborhood - 1998

3	UNINTENTIONAL, ACCIDENTAL TRIP
4	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
4	CO DETECTOR ACTIVATED - CO FOUND
6	CO DETECTOR MALFUNCTION
<b>324</b>	
<b>Sedamsville</b>	
6	STRUCTURE FIRE
2	OUTSIDE OF STRUCTURE FIRE
2	REFUSE FIRE
141	EMERGENCY MEDICAL CALL
2	LOCK IN
3	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
9	SPILL, LEAK WITH NO IGNITION
3	ARCING, SHORTED ELECTRICAL EQUIPMENT
4	HAZARDOUS CONDITION - NOT CLASSIFIED
6	SERVICE CALL - NOT CLASSIFIED
2	GOOD INTENT CALL - INSUFFICIENT INFO.
4	SMOKE SCARE
1	WRONG LOCATION
6	GOOD INTENT CALL - NOT CLASSIFIED
1	SYSTEM MALFUNCTION
1	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
<b>193</b>	
<b>South Cumminsville</b>	
4	STRUCTURE FIRE
2	OUTSIDE OF STRUCTURE FIRE
2	VEHICLE FIRE
3	REFUSE FIRE
158	EMERGENCY MEDICAL CALL
2	RESCUE CALL - NOT CLASSIFIED
6	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	CHEMICAL EMERGENCY
3	HAZARDOUS CONDITION - NOT CLASSIFIED
2	SERVICE CALL - NOT CLASSIFIED

## Incidents by Neighborhood - 1998

1	GOOD INTENT CALL - INSUFFICIENT INFO.
1	SMOKE SCARE
1	CONTROLLED BURNING
7	GOOD INTENT CALL - NOT CLASSIFIED
1	MALICIOUS, MISCHIEVOUS FALSE CALL
14	SYSTEM MALFUNCTION
1	UNINTENTIONAL, ACCIDENTAL TRIP
1	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
1	CO DETECTOR ACTIVATED - CO FOUND
1	CO DETECTOR MALFUNCTION
<b>212</b>	
<b>South Fairmount</b>	
29	STRUCTURE FIRE
1	OUTSIDE OF STRUCTURE FIRE
15	VEHICLE FIRE
1	TREES, BRUSH, GRASS FIRE
10	REFUSE FIRE
1	AIR, GAS RUPTURE
1,063	EMERGENCY MEDICAL CALL
8	LOCK IN
8	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
2	RESCUE CALL - NOT CLASSIFIED
9	SPILL, LEAK WITH NO IGNITION
1	EXPLOSIVE, BOMB REMOVAL
4	POWER LINE DOWN
14	ARCING, SHORTED ELECTRICAL EQUIPMENT
2	NATURAL GAS LEAK/ODOR
4	HAZARDOUS CONDITION - NOT CLASSIFIED
1	LOCK-OUT
3	WATER CUTOFF / EVACUATION
8	ASSIST POLICE
6	UNAUTHORIZED BURNING
7	SERVICE CALL - NOT CLASSIFIED
1	GOOD INTENT CALL - INSUFFICIENT INFO.
25	SMOKE SCARE

## Incidents by Neighborhood - 1998

1	CONTROLLED BURNING
3	STEAM, OTHER GAS MISTAKEN FOR SMOKE
26	GOOD INTENT CALL - NOT CLASSIFIED
13	MALICIOUS, MISCHIEVOUS FALSE CALL
45	SYSTEM MALFUNCTION
9	UNINTENTIONAL, ACCIDENTAL TRIP
1	FALSE CALL - NOT CLASSIFIED
1	NO CO DETECTOR PRESENT - CO ABOVE ACTION LEVEL
3	CO DETECTOR MALFUNCTION
<b>1,325</b>	
<b>Walnut Hills</b>	
1	FIRE, EXPLOSION - INSUFFICIENT INFO.
50	STRUCTURE FIRE
1	OUTSIDE OF STRUCTURE FIRE
32	VEHICLE FIRE
4	TREES, BRUSH, GRASS FIRE
16	REFUSE FIRE
1	EXPLOSION, NO AFTER-FIRE
1	STEAM RUPTURE
1,756	EMERGENCY MEDICAL CALL
11	LOCK IN
12	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
8	RESCUE CALL - NOT CLASSIFIED
3	HAZARDOUS CONDITION - INSUFFICIENT INFO.
12	SPILL, LEAK WITH NO IGNITION
3	EXPLOSIVE, BOMB REMOVAL
5	POWER LINE DOWN
15	ARCING, SHORTED ELECTRICAL EQUIPMENT
1	CHEMICAL EMERGENCY
3	NATURAL GAS LEAK/ODOR
12	HAZARDOUS CONDITION - NOT CLASSIFIED
1	SERVICE CALL - INSUFFICIENT INFO.
5	WATER CUTOFF / EVACUATION
1	SMOKE, ODOR REMOVAL
1	ASSIST POLICE



## Incidents by Neighborhood - 1998

2	UNAUTHORIZED BURNING
1	GAS CUTOFF
16	SERVICE CALL - NOT CLASSIFIED
3	GOOD INTENT CALL - INSUFFICIENT INFO.
48	SMOKE SCARE
2	WRONG LOCATION
1	CONTROLLED BURNING
2	VICINITY ALARM (INCL MULTIPLE BOXES FOR 1 FIRE)
3	STEAM, OTHER GAS MISTAKEN FOR SMOKE
38	GOOD INTENT CALL - NOT CLASSIFIED
20	MALICIOUS, MISCHIEVOUS FALSE CALL
127	SYSTEM MALFUNCTION
19	UNINTENTIONAL, ACCIDENTAL TRIP
1	FALSE CALL - NOT CLASSIFIED
3	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
1	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
1	CO DETECTOR ACTIVATED - CO FOUND
1	CO DETECTOR MALFUNCTION
<b>2,244</b>	
<b>West End</b>	
68	STRUCTURE FIRE
7	OUTSIDE OF STRUCTURE FIRE
25	VEHICLE FIRE
59	REFUSE FIRE
1	STEAM RUPTURE
1	AIR, GAS RUPTURE
2,590	EMERGENCY MEDICAL CALL
41	LOCK IN
19	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
4	RESCUE CALL - NOT CLASSIFIED
11	SPILL, LEAK WITH NO IGNITION
2	EXPLOSIVE, BOMB REMOVAL
1	POWER LINE DOWN
16	ARCING, SHORTED ELECTRICAL EQUIPMENT
2	CHEMICAL EMERGENCY

## Incidents by Neighborhood - 1998

13	NATURAL GAS LEAK/ODOR
18	HAZARDOUS CONDITION - NOT CLASSIFIED
11	LOCK-OUT
11	WATER CUTOFF / EVACUATION
3	SMOKE, ODOR REMOVAL
10	ASSIST POLICE
1	UNAUTHORIZED BURNING
23	SERVICE CALL - NOT CLASSIFIED
3	GOOD INTENT CALL - INSUFFICIENT INFO.
36	SMOKE SCARE
4	WRONG LOCATION
1	CONTROLLED BURNING
1	VICINITY ALARM (INCL MULTIPLE BOXES FOR 1 FIRE)
1	STEAM, OTHER GAS MISTAKEN FOR SMOKE
77	GOOD INTENT CALL - NOT CLASSIFIED
1	FALSE CALL - INSUFFICIENT INFO.
84	MALICIOUS, MISCHIEVOUS FALSE CALL
1	BOMB SCARE, NO BOMB
105	SYSTEM MALFUNCTION
21	UNINTENTIONAL, ACCIDENTAL TRIP
1	NO CO DETECTOR PRESENT - VICTIM(S) TO HOSPITAL
2	CO DETECTOR ACTIVATED - CO FOUND
2	CO DETECTOR MALFUNCTION
<b>3,277</b>	
<b>West Price Hill</b>	
55	STRUCTURE FIRE
2	OUTSIDE OF STRUCTURE FIRE
18	VEHICLE FIRE
5	TREES, BRUSH, GRASS FIRE
16	REFUSE FIRE
1,890	EMERGENCY MEDICAL CALL
16	LOCK IN
8	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
6	RESCUE CALL - NOT CLASSIFIED
24	SPILL, LEAK WITH NO IGNITION

## Incidents by Neighborhood - 1998

2	EXPLOSIVE, BOMB REMOVAL
3	POWER LINE DOWN
25	ARCING, SHORTED ELECTRICAL EQUIPMENT
2	CHEMICAL EMERGENCY
25	HAZARDOUS CONDITION - NOT CLASSIFIED
4	LOCK-OUT
4	WATER CUTOFF / EVACUATION
3	SMOKE, ODOR REMOVAL
7	ASSIST POLICE
2	UNAUTHORIZED BURNING
1	GAS CUTOFF
6	SERVICE CALL - NOT CLASSIFIED
3	GOOD INTENT CALL - INSUFFICIENT INFO.
49	SMOKE SCARE
1	WRONG LOCATION
2	CONTROLLED BURNING
2	STEAM, OTHER GAS MISTAKEN FOR SMOKE
42	GOOD INTENT CALL - NOT CLASSIFIED
18	MALICIOUS, MISCHIEVOUS FALSE CALL
46	SYSTEM MALFUNCTION
11	UNINTENTIONAL, ACCIDENTAL TRIP
4	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
2	NO CO DETECTOR PRESENT - VICTIM(S) TO HOSPITAL
12	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
14	CO DETECTOR ACTIVATED - CO FOUND
50	CO DETECTOR MALFUNCTION
<b>2,380</b>	
<b>Westwood</b>	
2	FIRE, EXPLOSION - INSUFFICIENT INFO.
93	STRUCTURE FIRE
4	OUTSIDE OF STRUCTURE FIRE
40	VEHICLE FIRE
4	TREES, BRUSH, GRASS FIRE
23	REFUSE FIRE
1	EXPLOSION, NO AFTER-FIRE

## Incidents by Neighborhood - 1998

1	AIR, GAS RUPTURE
2,518	EMERGENCY MEDICAL CALL
30	LOCK IN
15	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
3	RESCUE CALL - NOT CLASSIFIED
1	HAZARDOUS CONDITION - INSUFFICIENT INFO.
32	SPILL, LEAK WITH NO IGNITION
1	EXPLOSIVE, BOMB REMOVAL
15	POWER LINE DOWN
42	ARCING, SHORTED ELECTRICAL EQUIPMENT
31	HAZARDOUS CONDITION - NOT CLASSIFIED
2	SERVICE CALL - INSUFFICIENT INFO.
4	LOCK-OUT
10	WATER CUTOFF / EVACUATION
3	SMOKE, ODOR REMOVAL
10	ASSIST POLICE
4	UNAUTHORIZED BURNING
14	SERVICE CALL - NOT CLASSIFIED
1	GOOD INTENT CALL - INSUFFICIENT INFO.
70	SMOKE SCARE
1	WRONG LOCATION
2	CONTROLLED BURNING
4	STEAM, OTHER GAS MISTAKEN FOR SMOKE
79	GOOD INTENT CALL - NOT CLASSIFIED
18	MALICIOUS, MISCHIEVOUS FALSE CALL
1	BOMB SCARE, NO BOMB
127	SYSTEM MALFUNCTION
37	UNINTENTIONAL, ACCIDENTAL TRIP
1	FALSE CALL - NOT CLASSIFIED
6	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
1	NO CO DETECTOR PRESENT - CO ABOVE ACTION LEVEL
15	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
12	CO DETECTOR ACTIVATED - CO FOUND
1	CO DETECTOR ACTIVATED - VICTIM(S) TO HOSPITAL
29	CO DETECTOR MALFUNCTION

## Incidents by Neighborhood - 1998

<b>3,308</b>	
<b>Winton Hills</b>	
16	STRUCTURE FIRE
3	OUTSIDE OF STRUCTURE FIRE
13	VEHICLE FIRE
1	TREES, BRUSH, GRASS FIRE
16	REFUSE FIRE
1	FIRE, EXPLOSION - NOT CLASSIFIED
1	STEAM RUPTURE
962	EMERGENCY MEDICAL CALL
9	LOCK IN
2	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
5	SPILL, LEAK WITH NO IGNITION
4	ARCING, SHORTED ELECTRICAL EQUIPMENT
2	CHEMICAL EMERGENCY
9	HAZARDOUS CONDITION - NOT CLASSIFIED
2	WATER CUTOFF / EVACUATION
1	ASSIST POLICE
5	SERVICE CALL - NOT CLASSIFIED
2	GOOD INTENT CALL - INSUFFICIENT INFO.
15	SMOKE SCARE
1	STEAM, OTHER GAS MISTAKEN FOR SMOKE
18	GOOD INTENT CALL - NOT CLASSIFIED
2	MALICIOUS, MISCHIEVOUS FALSE CALL
20	SYSTEM MALFUNCTION
4	UNINTENTIONAL, ACCIDENTAL TRIP
3	NO CO DETECTOR PRESENT - CO BELOW ACTION LEVEL
<b>1,117</b>	
<b>Winton Place</b>	
7	STRUCTURE FIRE
5	VEHICLE FIRE
5	REFUSE FIRE
353	EMERGENCY MEDICAL CALL
4	LOCK IN

## Incidents by Neighborhood - 1998

2	EXTRICATION (INCL FROM VEHICLES, ELEVATORS)
1	RESCUE CALL - NOT CLASSIFIED
4	SPILL, LEAK WITH NO IGNITION
1	EXPLOSIVE, BOMB REMOVAL
1	POWER LINE DOWN
3	ARCING, SHORTED ELECTRICAL EQUIPMENT
3	CHEMICAL EMERGENCY
1	NATURAL GAS LEAK/ODOR
8	HAZARDOUS CONDITION - NOT CLASSIFIED
1	LOCK-OUT
3	WATER CUTOFF / EVACUATION
9	SERVICE CALL - NOT CLASSIFIED
2	GOOD INTENT CALL - INSUFFICIENT INFO.
20	SMOKE SCARE
3	STEAM, OTHER GAS MISTAKEN FOR SMOKE
11	GOOD INTENT CALL - NOT CLASSIFIED
2	MALICIOUS, MISCHIEVOUS FALSE CALL
73	SYSTEM MALFUNCTION
11	UNINTENTIONAL, ACCIDENTAL TRIP
1	CO DETECTOR ACTIVATED - CO BELOW ACTION LEVEL
1	CO DETECTOR ACTIVATED - CO FOUND
1	CO DETECTOR MALFUNCTION
<b>536</b>	